



# Huawei India Energy Storage Project Company

**12.8V6Ah**

Nominal voltage (V):12.8  
Nominal capacity (ah):6  
Rated energy (WH):76.8  
Maximum charging voltage (V):14.6  
Maximum charging current (a):6  
Floating charge voltage (V):13.6~13.8  
Maximum continuous discharge current (a):10  
Maximum peak discharge current @10 seconds (a):20  
Maximum load power (W):100  
Discharge cut-off voltage (V):10.8  
Charging temperature (°C):0~+50  
Discharge temperature (°C): -20~+60  
Working humidity: <95% R.H (non condensing)  
Number of cycles (25 °C, 0.5c, 100%dod): >2000  
Cell combination mode: 32700-4s1p  
Terminal specification: T2 (6.3mm)  
Protection grade: IP65  
Overall dimension (mm):90\*70\*107mm  
Reference weight (kg):0.7  
Certification: un38.3/msds

## Overview

---

Huawei's energy storage project is advancing significantly, with distinct milestones achieved in 2023, expanding its global influence in renewable energy solutions, increasing partnerships with local utilities, and enhancing technological innovations to improve efficiency and reliability.

## Huawei India Energy Storage Project Company

---

### Contact Us

---

For catalog requests, pricing, or partnerships, please visit:  
<https://zegrzynek.pl>